

Ishill Demosite presents

**What's Ishill? Why Ishill? How
Ishill?**

A Monograph By

Brendan Francis O'Connor

And Published

May 30, 2025

This monograph demonstrates how to use Ishill to create zines easily, and attempts to explain why you'd want to. It's very much still a draft; it would benefit from much more content, but I'm still working on both documentation and on non-documentation.

What's Ishill? Why Ishill? How Ishill?

Brendan Francis O'Connor
May 30, 2025

Originally published: <https://gitlab.com/ussjoin/ishill>

Hello ideally-human person! You've probably found this at [GitLab\[1\]](#) or [GitHub\[2\]](#), or possibly on a bench somewhere in meatspace. Read on to learn what you've found!

Note: this monograph is incomplete and in draft. We hope it's useful to you even as-is, but it's quite clearly incomplete. You're welcome to reach out for further assistance using the Issues function on [GitLab\[3\]](#) or [GitHub\[4\]](#), and I'll do my best to aid you (and add the things that confused you to this document so that they can help others!).

The Pitch (Human)

Want to write/make zines but don't have Illustrator or InDesign, and aren't a good enough artist to do twenty pages of lettering by hand? Want to use a computer to make longer content than the (lovely, if short) minizine[5] format? Optionally, want to simultaneously publish to print and the web, so that people who come across one of your zines can find more?

Ishill is for you. It's a zine publishing toolkit built on top of a blog toolkit ([Hugo\[6\]](#)) that lets you quickly create for web, PDF, and zine. If you want to, you can use it to publish your content for free on the Internet, on a site only you control (no Facebook/Instagram/etc. nonsense), and with no lock-in; you can move it anywhere at a moment's notice. You can use a domain name you own, or use a free subdomain of either of two gigantic code providers ([GitLab](#) and [GitHub](#)), and use their computer time and web servers to distribute your content to the world. You can also host it on any web host that can host static sites, which is... pretty much all of them,

"A demonstration of the Ishill zine publishing stack. Click About to learn more."

Ishill Demosite makes it easy to create good-looking zine content on the web and in print. <https://example.com/>. Inquiries and submissions may be sent to donotemail@example.com. Ishill Demosite publishes with the Ishill Stack, built on Hugo. Want to be able simultaneously to publish to the web, in PDF, in zine format, ...? Check out the free Ishill Stack at <https://www.autistici.org/ishill/>.

for either free or nearly no money. You can also publish it on Tor[7], or even keep it offline and just use it as a fast Markdown-to-Zine pipeline.

Hugo is a “static site generator,” so while it takes a teensy bit of tech knowledge to get it set up (we’ll help you! That’s what this zine is), you don’t need to worry about securing it or getting hacked; most hosts for static sites don’t let you configure anything that could get you in trouble, which is just how you should like it.

Sound good? Read on.

The Pitch (If you work in tech)

Ishill is a zine publishing stack built on top of Hugo[8], the static site generator, with some add-on tools to do Markdown-to-zine efficiently. It has “happy path” deployments to both GitLab Pages[9] (using GitLab CI/CD) and GitHub Pages[10] (using GitHub Actions), but since it’s basically Hugo plus a couple of shell scripts, you can run it anywhere with a modicum of tech knowledge. If you need a full tech stack:

- Hugo[11] for core Markdown-to-HTML rendering
- Vivliostyle[12] for HTML/CSS-to-PDF rendering
- PDFImpose[13] for imposition (arranging the order of pages so you can print them double-sided and fold them into a zine)
- Some Shell Scripts[14] to tie it together.

How To

This section of the zine is written for people who don’t know how to use Hugo and don’t feel like they want to learn much of it right now.

If you already know how to use Hugo, great! If you don’t know how to use Hugo, but you feel comfortable learning a new

"Those are the heavy seven. Those are the ones that will infect your soul, curve your spine and keep the country from winning the war." — George Carlin

tech skill, check out the Hugo Quick Start[15], except that you'll want to use `ishill` instead of `ananke`, and `https://gitlab.com/ussjoin/ishill.git` (or the same path at `github.com`) instead of the similar `ananke` path. Good luck!

1. Clone the repo
2. Set up Hugo
3. Change the Config
4. Add Content
5. Publish (Autistici/Inventati)

Autistici/Inventati (abbreviated A/I) is the home of the well-loved `https://noblogs.org/[16]`, but they also provide free hosting for static websites just like `Ishill` sites (or any Hugo sites). A step-by-step guide to using their WebDAV upload system for `Ishill` is coming soon, though their docs are also excellent[17].

5. Publish (GitLab)

Click Settings (on the left), then General. Scroll to “Visibility, project features, permissions” and click on it. Scroll down to “Pages,” click “Only Project Members,” and select “Everyone With Access.” Scroll to the bottom of the section and click the blue “Save changes” button.

Now, click Deploy (on the left), then Pages. Then do the following:

1. Enter “`node:lts`” under “Select your build image.”
2. Hit Next.
3. Next, Next, Commit.
4. Now GitLab has successfully overwritten the perfectly good build file the repository started with. This is suboptimal. Luckily, you have a fix!
5. Click the name of your repository (it's likely just to the right of your name) near the top of your screen, so you see your files again.
6. Click `.gitlab-ci.yml`, which will almost certainly have a message next to it like “Update `.gitlab-ci.yml`.”
7. Open `https://gitlab.com/ussjoin/ishill-examplesite/-/blob/main/.gitlab-ci.yml[18]` in another browser tab.

"You shovel sixteen tons and what do you get? Another day older and deeper in debt." — Merle Travis

- Select all the text that's in the file (in the monospaced typeface). Copy it (Ctrl-C, Command-C, etc.)
8. Back in your main browser, click the blue Edit button on the upper-right, then "Edit Single File."
 9. Select all in the editor.
 10. Paste what you copied from the other tab (Ctrl-V, Command-V, etc.).
 11. Click the blue "Commit Changes" button, then in the popup, click the new blue "Commit Changes" button.
 12. Click the name of your repository, just like you did in step 5.
 13. On the left, click Deploy, then Pages.
 14. Click "Domains & settings."
 15. Uncheck the box that says "Use unique domain," then click "Save changes."
 16. Now you'll have a URL in the box marked "Access pages." Your site will be there!
 17. If the page looks weird (e.g., unformatted), run a new build job. (This is a one-time issue when the URL to your site changes, but you wanted to do that to get rid of the "unique" domain.)
 18. Click Build, then Pipelines.
 19. Click the blue "New pipeline" button.
 20. Click the (new) blue "New pipeline" button. You don't need to enter anything on that page.
 21. When the build completes, check the site again.

5. Publish (GitHub)

1. Click Settings, then Pages (on the left).
2. Under Branch, where it says "GitHub Pages is currently disabled," click None, then select main.
3. Click Save.
4. Under Source, click "Deploy from a Branch," then select "GitHub Actions."
5. Then you'll need to trigger a new build. Click Actions, then click "Build and Deploy an Ishill Site to GHP" on the left.
6. Click "Run workflow," then the green "Run workflow" button.

More Coming Soon

In the next while, I will expand this monograph into a complete guide to using Ishill even if you're new to GitHub and/or GitLab. For now, if you've used a Hugo theme before, you use it like that, and the information in the `.gitlab-ci.yml` or `.github/workflows/buildexamplesite.yml` files will help you learn how to build zines for online reading and offline printing using this stack.

If you need help, open an issue on GitHub or GitLab, and I'll see it. If you want to add features, open an MR on GitLab or a PR on GitHub, and I'll see it as well, though I'm doing development on a separate server so it won't "look" like I've accepted your code for a bit.

Footnotes:

1. <https://gitlab.com/ussjoin/ishill>
2. <https://github.com/ussjoin/ishill>
3. <https://gitlab.com/ussjoin/ishill/-/issues>
4. <https://github.com/ussjoin/ishill/issues>
5. <https://www.icaboston.org/articles/make-your-own-mini-zine/>
6. <https://gohugo.io/>
7. <https://www.torproject.org/>
8. <https://gohugo.io/>
9. <https://docs.gitlab.com/user/project/pages/>
10. <https://pages.github.com/>
11. <https://gohugo.io/>
12. <https://vivliostyle.org/>
13. <https://framagit.org/spalax/pdfimpose>
14. <https://xkcd.com/1319/>
15. <https://gohugo.io/getting-started/quick-start/>
16. <https://noblogs.org/>
17. <https://www.autistici.org/docs/web/webdav>
18. <https://gitlab.com/ussjoin/ishill-examplesite/-/blob/main/.gitlab-ci.yml>